

## 26. GALVANIZED FITTINGS

MAXIMUM PRESSURE 16 BAR

PRODUCT CODE	DESCRIPTION	EXCL VAT	INCL VAT
--------------	-------------	----------	----------

### BARREL NIPPLE



54154BN8	GALV BARREL NIPPLE 8MM	4.43	5.10
54154BN10	GALV BARREL NIPPLE 10MM	4.17	4.80
54154BN15	GALV BARREL NIPPLE 15MM(1/2")	5.30	6.10
54154BN20	GALV BARREL NIPPLE 20MM(3/4")	7.22	8.30
54154BN25	GALV BARREL NIPPLE 25MM(1")	10.17	11.70
54154BN32	GALV BARREL NIPPLE 32MM(1 1/4")	16.26	18.70
54154BN40	GALV BARREL NIPPLE 40MM(1 1/2")	20.87	24.00
54154BN50	GALV BARREL NIPPLE 50MM(2")	28.26	32.50
54154BN65	GALV BARREL NIPPLE 65MM(2 1/2")	44.52	51.20
54154BN80	GALV BARREL NIPPLE 80MM(3")	61.30	70.50
54154BN100	GALV BARREL NIPPLE 100MM(4")	111.48	128.20

### HEXAGON NIPPLE



54154HN10	GALV HEXAGON NIPPLE 10MM	7.13	8.20
54154HN15	GALV HEXAGON NIPPLE 15MM (1/2")	6.78	7.80
54154HN20	GALV HEXAGON NIPPLE 25MM (3/4")	9.39	10.80
54154HN25	GALV HEXAGON NIPPLE 25MM (1")	13.39	15.40
54154HN32	GALV HEXAGON NIPPLE 32MM (1 1/4")	19.30	22.20
54154HN40	GALV HEXAGON NIPPLE 40MM (1 1/2")	26.52	30.50
54154HN50	GALV HEXAGON NIPPLE 50MM (2")	37.30	42.90
54154HN65	GALV HEXAGON NIPPLE 65MM (2 1/2")	64.78	74.50
54154HN80	GALV HEXAGON NIPPLE 80MM (3")	108.43	124.70
54154HN100	GALV HEXAGON NIPPLE 100MM (4")	175.83	202.20

### SOCKET



54154S15	GALV SOCKET 15MM(1/2")	6.61	7.60
54154S20	GALV SOCKET 20MM(3/4")	8.52	9.80
54154S25	GALV SOCKET 25MM(1")	14.17	16.30
54154S32	GALV SOCKET 32MM(1 1/4")	20.35	23.40
54154S40	GALV SOCKET 40MM(1 1/2")	25.39	29.20
54154S50	GALV SOCKET 50MM(2")	39.30	45.20
54154S65	GALV SOCKET 65MM(2 1/2")	71.39	82.10
54154S80	GALV SOCKET 80MM(3")	103.74	119.30
54154S100	GALV SOCKET 100MM(4")	175.91	202.30

### CONICAL UNION



54154CU15	GALV CONICAL UNION 15MM(1/2")	35.39	40.70
54154CU20	GALV CONICAL UNION 20MM(3/4")	45.04	51.80
54154CU25	GALV CONICAL UNION 25MM(1")	52.43	60.30
54154CU32	GALV CONICAL UNION 32MM(1 1/4")	71.91	82.70
54154CU40	GALV CONICAL UNION 40MM(1 1/2")	96.70	111.20
54154CU50	GALV CONICAL UNION 50MM(2")	143.83	165.40
54154CU65	GALV CONICAL UNION 65MM(2 1/2")	244.26	280.90
54154CU80	GALV CONICAL UNION 80MM(3")	407.22	468.30
54154CU100	GALV CONICAL UNION 100MM(4")	762.26	876.60


### CROSS




54154C15	GALV CROSS 15MM(1/2")	23.30	26.80
54154C20	GALV CROSS 20MM(3/4")	32.52	37.40
54154C25	GALV CROSS 25MM(1")	44.09	50.70
54154C32	GALV CROSS 32MM(1 1/4")	66.26	76.20
54154C40	GALV CROSS 40MM(1 1/2")	89.13	102.50
54154C50	GALV CROSS 50MM(2")	129.22	148.60

## 26. GALVANIZED FITTINGS


MAXIMUM PRESSURE 16 BAR

	PRODUCT CODE	DESCRIPTION	EXCL VAT	INCL VAT
	54154C65	GALV CROSS 65MM(21/2")	236.78	272.30
	54154C80	GALV CROSS 80MM(3")	336.61	387.10
	54154C100	GALV CROSS 100MM(4")	661.91	761.20


### TEE

	54154T15	GALV TEE 15MM(1/2")	10.43	12.00
	54154T20	GALV TEE 20MM(3/4")	14.87	17.10
	54154T25	GALV TEE 25MM(1")	23.57	27.10
	54154T32	GALV TEE 32MM(11/4")	35.65	41.00
	54154T40	GALV TEE 40MM(11/2")	46.26	53.20
	54154T50	GALV TEE 50MM(2")	71.91	82.70
	54154T65	GALV TEE 65MM(21/2")	155.30	178.60
	54154T80	GALV TEE 80MM(3")	202.00	232.30
	54154T100	GALV TEE 100MM(4")	378.87	435.70


### FEMALE ELBOW

	54154FE15	GALV FEMALE ELBOW 90° 15MM(1/2")	8.00	9.20
	54154FE20	GALV FEMALE ELBOW 90° 20MM(3/4")	11.91	13.70
	54154FE25	GALV FEMALE ELBOW 90° 25MM(1")	18.26	21.00
	54154FE32	GALV FEMALE ELBOW 90° 32MM(11/4")	27.91	32.10
	54154FE40	GALV FEMALE ELBOW 90° 40MM(11/2")	37.13	42.70
	54154FE50	GALV FEMALE ELBOW 90° 50MM(2")	55.65	64.00
	54154FE65	GALV FEMALE ELBOW 90° 65MM(21/2")	103.48	119.00
	54154FE80	GALV FEMALE ELBOW 90° 80MM(3")	158.52	182.30
	54154FE100	GALV FEMALE ELBOW 90° 100MM(4")	284.43	327.10


### MALE & FEMALE ELBOW

	54154MFE15	GALV MALE FEMALE ELBOW 15MM(1/2")	9.83	11.30
	54154MFE20	GALV MALE FEMALE ELBOW 20MM(3/4")	14.43	16.60
	54154MFE25	GALV MALE FEMALE ELBOW 25MM(1")	21.57	24.80
	54154MFE32	GALV MALE FEMALE ELBOW 32MM(11/4")	37.57	43.20
	54154MFE40	GALV MALE FEMALE ELBOW 40MM(11/2")	45.74	52.60
	54154MFE50	GALV MALE FEMALE ELBOW 50MM(2")	66.78	76.80
	54154MFE65	GALV MALE FEMALE ELBOW 65MM(21/2")	148.52	170.80
	54154MFE80	GALV MALE FEMALE ELBOW 80MM(3")	224.70	258.40
	54154MFE100	GALV MALE FEMALE ELBOW 100MM(4")	798.87	918.70

### BEND MALE X FEMALE

	54154MFB20	GALV MALE FEMALE BEND 20MM(3/4")	22.35	25.70
	54154MFB25	GALV MALE FEMALE BEND 25MM(1")	33.48	38.50
	54154MFB32	GALV MALE FEMALE BEND 32MM(11/4")	54.09	62.20
	54154MFB40	GALV MALE FEMALE BEND 40MM(11/2")	76.52	88.00
	54154MFB50	GALV MALE FEMALE BEND 50MM(2")	121.13	139.30
	54154MFB80	GALV MALE FEMALE BEND 80MM(3")	373.13	429.10

### FEMALE CAP

	54154FC15	GALV FEMALE CAP 15MM(1/2")	6.70	7.70
	54154FC20	GALV FEMALE CAP 20MM(3/4")	8.26	9.50
	54154FC25	GALV FEMALE CAP 25MM(1")	11.57	13.30
	54154FC32	GALV FEMALE CAP 32MM(11/4")	16.96	19.50
	54154FC40	GALV FEMALE CAP 40MM(11/2")	22.26	25.60
	54154FC50	GALV FEMALE CAP 50MM(2")	31.22	35.90
	54154FC65	GALV FEMALE CAP 65MM(21/2")	62.61	72.00
	54154FC80	GALV FEMALE CAP 80MM(3")	87.22	100.30
	54154FC100	GALV FEMALE CAP 100MM(4")	146.61	168.60

## 26. GALVANIZED FITTINGS

MAXIMUM PRESSURE 16 BAR

PRODUCT CODE	DESCRIPTION	EXCL VAT	INCL VAT
--------------	-------------	----------	----------

### MALE PLUG



54154MP15	GALV MALE PLUG 15MM(1/2")	5.65	6.50
54154MP20	GALV MALE PLUG 20MM(3/4")	6.70	7.70
54154MP25	GALV MALE PLUG 25MM(1")	9.13	10.50
54154MP32	GALV MALE PLUG 32MM(1 1/4")	14.00	16.10
54154MP40	GALV MALE PLUG 40MM(1 1/2")	16.09	18.50
54154MP50	GALV MALE PLUG 50MM(2")	23.57	27.10
54154MP65	GALV MALE PLUG 65MM(2 1/2")	48.35	55.60
54154MP80	GALV MALE PLUG 80MM(3")	66.96	77.00
54154MP100	GALV MALE PLUG 100MM(4")	119.48	137.40

### REDUCING BUSH



54154RB158	GALV RED BUSH 15MM(1/2") X 8MM	7.22	8.30
54154RB1510	GALV RED BUSH 15MM(1/2") X 10MM	6.70	7.70
54154RB208	GALV RED BUSH 20MM(3/4") X 8MM	8.78	10.10
54154RB2010	GALV RED BUSH 20MM(3/4") X 10MM	8.78	10.10
54154RB2015	GALV RED BUSH 20MM(3/4") X 15MM(1/2")	7.65	8.80
54154RB2515	GALV RED BUSH 25MM(1") X 15MM(1/2")	11.65	13.40
54154RB2520	GALV RED BUSH 25MM(1") X 20MM(3/4")	11.65	13.40
54154RB3215	GALV RED BUSH 32MM(1 1/4") X 15MM(1/2")	18.35	21.10
54154RB3220	GALV RED BUSH 32MM(1 1/4") X 20MM(3/4")	18.35	21.10
54154RB3225	GALV RED BUSH 32MM(1 1/4") X 25MM(1")	18.35	21.10
54154RB4015	GALV RED BUSH 40MM(1 1/2") X 15MM(1/2")	18.35	21.10
54154RB4020	GALV RED BUSH 40MM(1 1/2") X 20MM(3/4")	18.35	21.10
54154RB4025	GALV RED BUSH 40MM(1 1/2") X 25MM(1")	18.35	21.10
54154RB4032	GALV RED BUSH 40MM(1 1/2") X 32MM(1 1/4")	18.35	21.10
54154RB5015	GALV RED BUSH 50MM(2") X 15MM(1/2")	30.35	34.90
54154RB5020	GALV RED BUSH 50MM(2") X 20MM(3/4")	30.35	34.90
54154RB5025	GALV RED BUSH 50MM(2") X 25MM(1")	30.35	34.90
54154RB5032	GALV RED BUSH 50MM(2") X 32MM(1 1/4")	30.35	34.90
54154RB5040	GALV RED BUSH 50MM(2") X 40MM(1 1/2")	30.35	34.90
54154RB6525	GALV RED BUSH 65MM(2 1/2") X 25MM(1")	50.35	57.90
54154RB6540	GALV RED BUSH 65MM(2 1/2") X 40MM(1 1/2")	50.35	57.90
54154RB6550	GALV RED BUSH 65MM(2 1/2") X 50MM(2")	50.35	57.90
54154RB8025	GALV RED BUSH 80MM(3") X 25MM(1")	74.78	86.00
54154RB8032	GALV RED BUSH 80MM(3") X 32MM(1 1/4")	74.78	86.00
54154RB8040	GALV RED BUSH 80MM(3") X 40MM(1 1/2")	74.78	86.00
54154RB8050	GALV RED BUSH 80MM(3") X 50MM(2")	74.78	86.00
54154RB8065	GALV RED BUSH 80MM(3") X 65MM(2 1/2")	74.78	86.00
54154RB10050	GALV RED BUSH 100MM(4") X 50MM(2")	147.65	169.80
54154RB10065	GALV RED BUSH 100MM(4") X 65MM(2 1/2")	147.65	169.80
54154RB10080	GALV RED BUSH 100MM(4") X 80MM(3")	147.65	169.80

### REDUCING SOCKET



54154RS2015	GALV RED SOCKET 20MM(3/4") X 15MM(1/2")	11.04	12.70
54154RS2515	GALV RED SOCKET 25MM(1") X 15MM(1/2")	14.87	17.10
54154RS2520	GALV RED SOCKET 25MM(1") X 20MM(3/4")	14.87	17.10
54154RS3215	GALV RED SOCKET 32MM(1 1/4") X 15MM(1/2")	21.83	25.10
54154RS3220	GALV RED SOCKET 32MM(1 1/4") X 20MM(3/4")	21.83	25.10
54154RS3225	GALV RED SOCKET 32MM(1 1/4") X 25MM(1")	22.17	25.50
54154RS4015	GALV RED SOCKET 40MM(1 1/2") X 15MM(1/2")	25.83	29.70
54154RS4020	GALV RED SOCKET 40MM(1 1/2") X 20MM(3/4")	25.83	29.70
54154RS4025	GALV RED SOCKET 40MM(1 1/2") X 25MM(1")	26.00	29.90
54154RS4032	GALV RED SOCKET 40MM(1 1/2") X 32MM(1 1/4")	26.35	30.30

## 26. GALVANIZED FITTINGS

MAXIMUM PRESSURE 16 BAR

PRODUCT CODE	DESCRIPTION	EXCL VAT	INCL VAT
54154RS5015	GALV RED SOCKET 50MM(2") X 15MM(1/2")	39.48	45.40
54154RS5020	GALV RED SOCKET 50MM(2") X 20MM(3/4")	39.48	45.40
54154RS5025	GALV RED SOCKET 50MM(2") X 25MM(1")	39.74	45.70
54154RS5032	GALV RED SOCKET 50MM(2") X 32MM(1 1/4")	39.74	45.70
54154RS5040	GALV RED SOCKET 50MM(2") X 40MM(1 1/2")	41.04	47.20
54154RS6540	GALV RED SOCKET 65MM(2 1/2") x 40MM(1 1/2")	72.87	83.80
54154RS6550	GALV RED SOCKET 65MM(2 1/2") X 50MM(2")	74.43	85.60
54154RS8040	GALV RED SOCKET 80MM(3") X 40MM(1 1/2")	113.57	130.60
54154RS8050	GALV RED SOCKET 80MM(3") X 50MM(2")	114.09	131.20
54154RS8065	GALV RED SOCKET 80MM(3") X 65MM(2 1/2")	116.78	134.30
54154RS10050	GALV RED SOCKET 100MM(4") X 50MM(2")	212.17	244.00
54154RS10065	GALV RED SOCKET 100MM(4") X 65MM(2 1/2")	213.91	246.00
54154RS10080	GALV RED SOCKET 100MM(4") X 80MM(3")	216.17	248.60



### REDUCING TEE

54154RT2015	GALV RED TEE 20MM(3/4") X 15MM(1/2")	18.35	21.10
54154RT2515	GALV RED TEE 25MM(1") X 15MM(1/2")	28.09	32.30
54154RT2520	GALV RED TEE 25MM(1") X 20MM(3/4")	28.09	32.30
54154RT3220	GALV RED TEE 32MM(1 1/4") X 20MM(3/4")	42.17	48.50
54154RT3225	GALV RED TEE 32MM(1 1/4") X 25MM(1")	42.17	48.50
54154RT4025	GALV RED TEE 40MM(1 1/2") X 25MM(1")	54.17	62.30
54154RT4032	GALV RED TEE 40MM(1 1/2") X 32MM(1 1/4")	54.17	62.30
54154RT5025	GALV RED TEE 50MM(2") X 25MM(1")	76.96	88.50
54154RT8050	GALV RED TEE 80MM(3") X 50MM(2")	225.91	259.80



### SWAGE NIPPLE

54154SN15	GALV SWAGE NIPPLE 15MM(1/2")	6.26	7.20
54154SN20	GALV SWAGE NIPPLE 20MM(3/4")	9.13	10.50
54154SN25	GALV SWAGE NIPPLE 25MM(1")	10.43	12.00
54154SN32	GALV SWAGE NIPPLE 32MM(1 1/4")	17.65	20.30
54154SN40	GALV SWAGE NIPPLE 40MM(1 1/2")	24.35	28.00
54154SN50	GALV SWAGE NIPPLE 50MM(2")	42.00	48.30
54154SN65	GALV SWAGE NIPPLE 65MM(2 1/2")	70.70	81.30
54154SN80	GALV SWAGE NIPPLE 80MM(3")	111.30	128.00
54154SN100	GALV SWAGE NIPPLE 100MM(4")	168.35	193.60



### JUNIOR JOHNSON COUPLING

54154JC25	GALV JUNIOR JOHNSON COUPLING 25mm(1")	104.43	120.10
54154JC32	GALV JUNIOR JOHNSON COUPLING 32mm(1 1/4")	126.17	145.10
54154JC40	GALV JUNIOR JOHNSON COUPLING 40mm(1 1/2")	170.00	195.50
54154JC50	GALV JUNIOR JOHNSON COUPLING 50mm(2")	215.48	247.80

### FLANGE (SCREWED) - TABLE D

54154FLSTD15	GALV FLANGE SCREWED TABLE D 15MM(1/2")	51.22	58.90
54154FLSTD20	GALV FLANGE SCREWED TABLE D 20MM(3/4")	61.65	70.90
54154FLSTD25	GALV FLANGE SCREWED TABLE D 25MM(1")	69.22	79.60
54154FLSTD32	GALV FLANGE SCREWED TABLE D 32mm(1 1/4")	79.74	91.70
54154FLSTD40	GALV FLANGE SCREWED TABLE D 40MM(1 1/2")	93.30	107.30
54154FLSTD50	GALV FLANGE SCREWED TABLE D 50MM(2")	119.48	137.40
54154FLSTD65	GALV FLANGE SCREWED TABLE D 65MM(2 1/2")	142.43	163.80
54154FLSTD80	GALV FLANGE SCREWED TABLE D 80MM(3")	182.61	210.00
54154FLSTD100	GALV FLANGE SCREWED TABLE D 100MM (4")	250.35	287.90
54154FLSTD150	GALV FLANGE SCREWED TABLE D 150MM (6")	458.52	527.30



## 26. GALVANIZED FITTINGS

MAXIMUM PRESSURE 16 BAR

PRODUCT CODE	DESCRIPTION	EXCL VAT	INCL VAT
<b>FLANGE (SCREW ON) - TABLE 1600/4</b>			
54154FLSN15	GALV FLANGE SCREW ON 15MM(1/2")	62.87	72.30
54154FLSN20	GALV FLANGE SCREW ON 20MM(3/4")	73.83	
54154FLSN25	GALV FLANGE SCREW ON 25MM(1")	82.78	95.20
54154FLSN32	GALV FLANGE SCREW ON 32mm(1 1/4")	119.74	137.70
54154FLSN40	GALV FLANGE SCREW ON 40MM(1 1/2")	143.39	164.90
54154FLSN50	GALV FLANGE SCREW ON 50MM(2")	180.70	207.80
54154FLSN65	GALV FLANGE SCREW ON 65MM(2 1/2")	227.22	261.30
54154FLSN80	GALV FLANGE SCREW ON 80MM(3")	276.70	318.20
54154FLSN100	GALV FLANGE SCREW ON 100MM (4")	342.35	393.70
54154FLSN150	GALV FLANGE SCREW ON 150MM (6")	678.96	780.80



<b>FLANGE (WELD ON) - TABLE D</b>			
54154FLWD40	GALV FLANGE WELD ON 40MM(1 1/2") T/D	61.48	70.70
54154FLWD50	GALV FLANGE WELD ON 50MM(2") T/D	65.74	75.60
54154FLWD65	GALV FLANGE WELD ON 65MM(2 1/2") T/D	68.26	78.50
54154FLWD80	GALV FLANGE WELD ON 80MM(3") T/D	94.70	108.90
54154FLWD100	GALV FLANGE WELD ON 100MM (4") T/D	124.52	143.20
54154FLWD125	GALV FLANGE WELD ON 125MM(5") T/D	209.39	240.80
54154FLWD150	GALV FLANGE WELD ON 150MM(6") T/D	224.52	258.20
54154FLWD200	GALV FLANGE WELD ON 200MM(8") T/D	308.78	355.10
54154FLWD250	GALV FLANGE WELD ON 250MM(10") T/D	560.43	644.50



<b>FLANGE (WELD ON) - TABLE 1600/3</b>			
54154FLW50	GALV FLANGE WELD ON 50MM(2") T/1600/3	109.83	126.30
54154FLW65	GALV FLANGE WELD ON 65MM(2 1/2") T/1600/3	120.52	138.60
54154FLW80	GALV FLANGE WELD ON 80MM(3") T/1600/3	138.78	159.60
54154FLW100	GALV FLANGE WELD ON 100MM (4") T/1600/3	152.00	174.80
54154FLW125	GALV FLANGE WELD ON 125MM(5") T/1600/3	270.35	310.90
54154FLW150	GALV FLANGE WELD ON 150MM(6") T/1600/3	299.83	344.80
54154FLW200	GALV FLANGE WELD ON 200MM(8") T/1600/3	574.26	660.40
54154FLW250	GALV FLANGE WELD ON 250MM(10") T/1600/3	703.57	809.10



<b>RUBBER INSERTION GASKET - 3MM THICK</b>			
<b>For use with PVC LM6 and Cast Iron Fittings as well as any other Flanged Fittings or Flanges</b>			
54154IRI50	INSERTION RING GASKET 50MM(2")	3.13	3.60
54154IRI65	INSERTION RING GASKET 65MM(2 1/2")	6.26	7.20
54154IRI80	INSERTION RING GASKET 80MM(3")	6.26	7.20
54154IRI100	INSERTION RING GASKET 100MM (4")	10.43	12.00
54154IRI125	INSERTION RING GASKET 125MM(5")	10.43	12.00
54154IRI150	INSERTION RING GASKET 150MM(6")	13.22	15.20
54154IRI200	INSERTION RING GASKET 200MM(8")	23.48	27.00



<b>INSERTION FULL FACE GASKET</b>			
54154IRF50	INSERTION FULL FACE GASKET 50MM(2")	6.96	8.00
54154IRF65	INSERTION FULL FACE GASKET 65MM(2 1/2")	10.43	12.00
54154IRF80	INSERTION FULL FACE GASKET 80MM(3")	10.43	12.00
54154IRF100	INSERTION FULL FACE GASKET 100MM (4")	13.91	16.00
54154IRF125	INSERTION FULL FACE GASKET 125MM(5")	17.39	20.00
54154IRF150	INSERTION FULL FACE GASKET 150MM(6")	24.09	27.70
54154IRF200	INSERTION FULL FACE GASKET 200MM(8")	27.83	32.00



## 26. GALVANIZED FITTINGS

MAXIMUM PRESSURE 16 BAR

PRODUCT CODE	DESCRIPTION	EXCL VAT	INCL VAT
<b>BORE HOLE BASE PLATES</b>			
77GBASE032	GALV STEEL BORE HOLE BASE PLATE 32MM	118.00	135.70
77GBASE040	GALV STEEL BORE HOLE BASE PLATE 40MM	122.00	140.30
77GBASE050	GALV STEEL BORE HOLE BASE PLATE 50MM	127.00	146.05